

eRed Folder : First Hit

L7: Entry 8 of 23

File: JPAB

Apr 11, 2000

PUB-NO: JP02000103717A
DOCUMENT-IDENTIFIER: JP 2000103717 A
TITLE: SOLID COSMETIC

PUBN-DATE: April 11, 2000

INVENTOR-INFORMATION:

NAME

COUNTRY

MIURA, YOSHIMASA
TAKADA, SADASHIGE
TAKAHASHI, KAZUO
SUZUKI, FUKUJI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

SHISEIDO CO LTD

APPL-NO: JP11216836

APPL-DATE: July 30, 1999

PRIORITY-DATA: 1998JP-9973 (July 31, 1998)

INT-CL (IPC): A61K 7/00; A61K 7/02; A61K 7/035

ABSTRACT:

PROBLEM TO BE SOLVED: To obtain a solid cosmetic having excellent stability to impact even when mixing a large amount of spherical powder of an organopolysiloxane elastomer having hardness and a average particle diameter in specific ranges by making the cosmetic include the spherical powder.

SOLUTION: This solid cosmetic contains preferably 0.1-50.0 wt.%, especially preferably 1.0-20.0 wt.%, based on the whole amount of the cosmetic, of spherical powder of an organopolysiloxane elastomer having 50-100, preferably 50-80 JIS A hardness and 0.1-200 μ m, preferably 0.5-20.0 μ m average particle diameter. The spherical powder is obtained, for example, by mixing an addition reaction curing type organopolysiloxane composition with water in the presence of a surfactant using a homomixer, or the like, to form a uniform water dispersion, releasing the dispersion into warm water at $\geq 50^{\circ}\text{C}$ followed by curing and drying. For example, solid face powder, various kinds of foundations (powdery foundation, water use foundation, foundation of both uses solid emulsion type foundation, or the like), solid rouge, or the like, may be cited as the solid cosmetic to be contained.

COPYRIGHT: (C)2000,JPO